



*Fédération
Aéronautique
Internationale*

Indoor Skydiving Competition Rules

For
Solo Freestyle

2018 Edition
Effective 1st March 2018

*Maison du Sport International
Av. de Rhodanie 54
CH-1007 Lausanne
Switzerland
Tél. +41 (0)21 345 10 70
Fax +41 (0)21 345 10 77
E-mail: info@fai.org
Web: www.fai.org*

FEDERATION AERONAUTIQUE INTERNATIONALE
MSI - Avenue de Rhodanie 54 – CH-1007 Lausanne - Switzerland

Copyright 2018

All rights reserved. Copyright in this document is owned by the Fédération Aéronautique Internationale (FAI). Any person acting on behalf of the FAI or one of its Members is hereby authorized to copy, print, and distribute this document, subject to the following conditions:

- 1. The document may be used for information only and may not be exploited for commercial purposes.**
- 2. Any copy of this document or portion thereof must include this copyright notice.**
- 3. Regulations applicable to air law, air traffic and control in the respective countries are reserved in any event. They must be observed and, where applicable, take precedence over any sport regulations.**

Note that any product, process, or technology described in the document may be the subject of other Intellectual Property rights reserved by the Fédération Aéronautique Internationale or other entities and is not licensed hereunder.

RIGHTS TO FAI INTERNATIONAL SPORTING EVENTS

All international sporting events organised wholly or partly under the rules of the Fédération Aéronautique Internationale (FAI) Sporting Code¹ are termed *FAI International Sporting Events*². Under the FAI Statutes³, FAI owns and controls all rights relating to FAI International Sporting Events. FAI Members⁴ shall, within their national territories⁵, enforce FAI ownership of FAI International Sporting Events and require them to be registered in the FAI Sporting Calendar⁶.

An event organiser who wishes to exploit rights to any commercial activity at such events shall seek prior agreement with FAI. The rights owned by FAI which may, by agreement, be transferred to event organisers include, but are not limited to advertising at or for FAI events, use of the event name or logo for merchandising purposes and use of any sound, image, program and/or data, whether recorded electronically or otherwise or transmitted in real time. This includes specifically all rights to the use of any material, electronic or other, including software, that forms part of any method or system for judging, scoring, performance evaluation or information utilised in any FAI International Sporting Event⁷.

Each FAI Air Sport Commission⁸ may negotiate agreements, with FAI Members or other entities authorised by the appropriate FAI Member, for the transfer of all or parts of the rights to any FAI International Sporting Event (except World Air Games events⁹) in the discipline¹⁰, for which it is responsible¹¹ or waive the rights. Any such agreement or waiver, after approval by the appropriate Air Sport Commission President, shall be signed by FAI Officers¹².

Any person or legal entity that accepts responsibility for organising an FAI Sporting Event, whether or not by written agreement, in doing so also accepts the proprietary rights of FAI as stated above. Where no transfer of rights has been agreed in writing, FAI shall retain all rights to the event. Regardless of any agreement or transfer of rights, FAI shall have, free of charge for its own archival and/or promotional use, full access to any sound and/or visual images of any FAI Sporting Event. The FAI also reserves the right to arrange at its own expense for any and all parts of any event to be recorded.

-
- 1 FAI Statutes,Chapter 1, para 1.6
 - 2 FAI Sporting Code, Gen. Section,Chapter 4, para 4.1.2
 - 3 FAI Statutes,Chapter 1, para 1.8.1
 - 4 FAI Statutes,Chapter 2, para 2.1.1; 2.4.2; 2.5.2 and 2.7.2
 - 5 FAI By-Laws,Chapter 1, para 1.2.1
 - 6 FAI Statutes,Chapter 2, para 2.4.2.2.5
 - 7 FAI By-Laws,Chapter 1, paras 1.2.2 to 1.2.5
 - 8 FAI Statutes,Chapter 5, paras 5.1.1, 5.2, 5.2.3 and 5.2.3.3
 - 9 FAI Sporting Code, Gen. Section,Chapter 4, para 4.1.5
 - 10 FAI Sporting Code, Gen. Section,Chapter 2, para 2.2.
 - 11 FAI Statutes,Chapter 5, para 5.2.3.3.7
 - 12 FAI Statutes,Chapter 6, para 6.1.2.1.3

INTENTIONALLY LEFT BLANK

This document takes effect on the 1st of March 2018.

<i>TABLE OF CONTENTS</i>	<i>Page</i>
Chapter 1: FAI Authority	2
1.1 FAI authority	2
Chapter 2: Definitions of Words and Phrases Used in these Rules	2
2.1 Performer.....	2
2.2 Heading	2
2.3 Move.....	2
2.4 Anti-Chamber.....	2
2.5 Diffuser	2
2.6 Flight.....	2
2.7 Routine	2
2.8 Working Time.....	2
Chapter 3: The Event	2
3.1 Discipline	2
3.2 Objective of the Event	2
3.3 World Champion	2
Chapter 4: General Rules	2
4.1 Equipment.....	2
4.2 Video Recording	2
4.3 Speed Setting and Training Flights.....	3
4.4 Freefall.....	3
4.5 Order of Flights	3
4.6 Flight Chamber Entry	3
4.7 Re-flights	3
Chapter 5: Rules Specific to the Event	3
5.1 Performers.....	3
5.2 Routines	3
5.3 Number of Rounds	4
5.4 Order of Routines.....	4
5.5 Finals.....	4
Chapter 6: Judging and scoring	4
6.1 General.....	4
6.2 Scoring Free Routines.....	4
6.3 Scoring Compulsory Routines	4
6.4 Score Calculation	5
6.5 Judging Rules	5
Chapter 7: Rules Specific to the Competition	5
7.1 Composition of Delegations.....	5
7.2 Competition Schedule	6
Annexes	6
Addendum A – Freestyle Compulsory Sequences.....	7
Addendum B – Basic Body Positions, Orientations, Rotations and Pathways.....	9
Addendum C – Difficulty.....	14
Addendum D – Routine description	15

1 FAI Authority

- 1.1 The competition will be conducted under the authority granted by the FAI, according to the regulations of the Sporting Code of the FAI, General Section, and Section 5 as approved by the IPC and validated by the FAI, and these rules. All participants accept these rules and the FAI regulations as binding by registering in the competition.

2 Definitions of Words and Phrases used in these Rules

- 2.1 A Solo Freestyle (SFR) competition entry consists of one (1) Performer.
- 2.2 Heading: the direction in which the front of the torso of the Performer faces.
- 2.3 Move: a change in body position, and/or a rotation around one or more of the three (3) body axes, or a static pose. See Addendum B.
- 2.4 Anti-Chamber: area used by Teams as a waiting area for entrance into the flight chamber. This area is separated from public viewing areas and is the exclusive use for Teams on call.
- 2.5 Diffuser: that vertical part of the flight chamber above the transparent viewing section.
- 2.6 Flight: a competitor's performance in the flight chamber.
- 2.7 Routine: a sequence of moves performed during the working time.
- 2.7.1 Compulsory Routine: a routine, without music, composed of three (3) Compulsory Sequences, as shown in Addendum A, and other moves at the Performer's discretion. The order in which these Compulsory Sequences and other moves are performed is chosen by the Performer.
- 2.7.2 Free Routine: a routine composed of moves chosen entirely by the Performer. Music duration must not be longer than 70 seconds.
- 2.8 Working Time:
- 2.8.1 The period of time during which a Performer may perform a routine during a Flight. Working time starts the instant the Performer begins flying, as determined by the Judges.
- Compulsory Routine: Working Time is 45 seconds.
 - Free Routine: Working Time is 60 seconds.

3 The Event

- 3.1 Discipline: the discipline comprises of Solo Freestyle (SFR). There is no gender separation.
- 3.2 Objective of the Event: The objective for the Performer is to perform a sequence of moves with the highest possible merit.
- 3.3 World Champion:
- 3.3.1 After all completed round(s), the World Champion in Solo Freestyle will be declared.
- 3.3.2 The Solo Freestyle World Champion is the Performer with the highest total score for all completed rounds. If two (2) or more Performers have equal scores, then if time permits, the first three (3) places will be determined by a tie-break Free Round. If a tie still exists, the following procedure will be applied:
- i) the best score, then the second best score, and then third best score, of any completed free rounds.
 - ii) the best score, then the second best score, of any completed compulsory rounds.
- 3.3.3 Prizes and awards are awarded as follows:
- All Performers in the event will be awarded medals if placed First, Second or Third.
 - The flags of the countries of the Performers in the event placed First, Second and Third shall be flown and the national anthem of the country of the Performer placed First shall be played.

4 General rules

- 4.1 Equipment: Performers are responsible for outfitting themselves in their own suitable clothing and footwear, including flight suits, helmets, goggles, and ear plugs.
- 4.2 Video Recording.
- 4.2.1 For the purpose of these rules, "video equipment" shall consist of the complete video system used to record the video evidence of the Performer's Flight, including the camera(s), recording media, cables and power source. The video equipment must be able to deliver a High Definition 1080 type digital signal with a minimum frame rate of 25 frames per second through a memory card (minimum class 10), approved by the Chief Judge.

- 4.2.2** The Organiser shall provide the video evidence required to show the Performer's Flight to third parties. A backup recording of all competition Flights will be made.
- 4.2.3** The Organiser is responsible for assuring the compatibility of the video equipment with the scoring system.
- 4.2.4** The camera(s) must be fixed static to the mount and on the same side of the tunnel as the Judges' live viewing gallery location.
- 4.2.5** The flight chamber doorway that will be used for entry and exit shall be fully shown in the video evidence. The position of the Judges with respect to the flight chamber doorway that will be used for entry and exit will be published not less than 90 days before the start of competition.
- 4.2.6** The speed setting will be indicated in the tunnel and shall be clearly visible to the Performer prior to entering the flight chamber.
- 4.2.7** The Organiser must provide the Performers with a way of identification of the Performer to be included in the video evidence.
- 4.3** Speed Setting and Training Flights:
- 4.3.1** Speed Setting: Three (3) minutes per Performer will be allocated for speed setting.
- 4.3.2** Speed Setting and Training Flights may only take place prior to the start of the competition.
- 4.3.3** Each Performer will be given the option of two (2) official training Flights prior to the competition. The same configuration plus the judging and scoring systems to be used in the competition will be used for the official training Flights.
- 4.3.4** Before the start of the training Flights, the Performer has the option to explain the delivered Free Routine description sheet(s). If no training Flights are possible, Performers can deliver a maximum of two (2) previous training Flights for scoring and move explanation. For these (previous and official training) Flights, no scores for Presentation will be given.
- 4.4** Freefall: Performers are not allowed to freefall from any aircraft or use any freefall simulator or wind tunnel, for Flights other than competition Flights, after the commencement of the competition.
- 4.5** Order of Flights: The order of Flights for the first competition round of each event will be in the reverse order of the placings in that event at the most recent IPC sanctioned World Indoor Skydiving Championships or World Cup of Indoor Solo Freestyle. All Performers not covered by this procedure will fly at the beginning of the round, with their order of Flights determined by a draw. After round five (5), the final rounds will start. The final rounds will be executed by an updated reverse-order-of-flights which shall be implemented after round five (5) and six (6). The relevant order of Flights will be maintained throughout the competition, except for any logistical changes deemed necessary by the Chief Judge and the Meet Director.
- 4.6** Flight Chamber Entry: Only one (1) doorway leading into the flight chamber will be used for entries and exits. The tunnel will be set to the correct speed decided by the Performer during the Speed Setting time. When the tunnel is at the correct speed, a signal will be given to the Performer.
- 4.7** Re-flights:
- 4.7.1** In case of an unforeseen change of environment during performance, a re-flight may be granted.
- 4.7.2** Contact or other means of interference between the Performer and/or the tunnel walls/cable floor shall not be grounds for a re-flight.
- 4.7.3** Problems with a Performer's equipment shall not be grounds for a re-flight.
- 4.7.4** For safety reasons, if a Performer demonstrates inadequate flying skills and/or persistent unsafe flying requiring repeated intervention by a tunnel spotter, FAI Sporting Code, Section 5, Chapter 4.8 SAFETY will apply.

5 Rules specific to the event

- 5.1** Performers: A Performer may only represent one (1) NAC.
- 5.2** Routines. The discipline is comprised of Compulsory Routines and Free Routines.
- 5.2.1** Submission of Order of Compulsory Sequences and Free Routine Videos
- 5.2.1.1** Performers must deliver the order of the Compulsory Sequences (for both Compulsory Rounds) to the Chief Judge before the beginning of the competition.
- 5.2.1.2** Performers must deliver a video (without music) of their Free Routine(s) to the Chief Judge at least 48 hours before the start of the competition. (Performers may optionally include a written list of elements and/or present and explain their Free Routine(s) to the panel.) Each Performer may submit multiple Free Routines, but, during the competition, may submit a change only one time.

See the Addendum A for Guidelines on scoring for common mistakes on some Compulsory Sequences.

Small mistake examples

- finish slightly off heading, slight instability, etc.

Medium mistake examples

- significantly off heading, instability, not enough rotation(s), etc.
- toes not pointed where specified, knees bent.

Major mistake examples

- required elements missing or performed incorrect, turning the wrong direction, etc.

Presentation in the Compulsory Routines is scored for the beginning and the end of the routine, and move(s) performed between the Compulsory Sequences. If the Judges cannot identify any Presentation element, the score for presentation will be zero (0,0) points.

6.3.1 The Judges will only score the Compulsory Sequences they recognize. If an attempt is made for a Compulsory Sequence and the Judges recognize this as such, scoring for that sequence will commence. The judging of each sequence begins when the Judges see the Performer beginning the sequence from the described beginning position (after a transition from the previous move with or without a momentary stop). The judging of each sequence ends when the Judges see the Performer completes or abandons the performance requirements of that sequence.

6.4 Score calculation: The score for each routine is calculated as follows:

- Compulsory Routines: for each Compulsory Sequence and Presentation, the Judges' scores will be averaged separately with no rounding applied. The average scores will be added, and the result will be divided by four (4), then rounded to the first decimal place.
- Free Routines: for the Execution and Presentation criteria, the Judges' scores of both Execution and Presentation will be averaged separately with no rounding applied. To determine the Technical score, the scores for Difficulty and Execution will be added, and the result will be divided by two (2), with no rounding applied. The Technical and Presentation scores will be added, and the result will be divided by two (2), then rounded to the first decimal place.

6.4.1 Rounding must be done as follows: intermediate values must be converted from two decimal places to one, by rounding to the nearest tenth, except where the second decimal digit is exactly halfway between the two values, where it must be rounded to the higher of the two.

6.4.2 Total scores for the event are calculated by adding Performer's official scores of all completed rounds.

6.4.3 All scores for each Judge, for all competition flights, will be published.

6.4.3.1 The scores for Difficulty will be published before the start of the competition.

6.5 Judging rules:

6.5.1 Viewing the Flights: The Judges will view each Performer's Flight from the flight chamber viewing gallery. The Judges will watch each Flight live. At the discretion of the Event Judge, a second viewing of the compulsory rounds, using the video evidence, is permitted. At the discretion of the Event Judge, a third view of a Compulsory Round video, or part of it, is allowed, in normal or reduced speed (70%-90%).

6.5.2 A panel consisting of three (3) Judges must evaluate each Performer's Flight. Where possible a complete round shall be judged by the same panel.

6.5.3 All Judges will evaluate all judging criteria.

6.5.4 The Judges will use an electronic scoring system to record the evaluation of the performance. The Judges may correct their evaluation record after the Flight has been judged. Corrections to the evaluation record can only be made before the Chief Judge signs the score sheet.

6.5.5 The chronometer will be operated by the Judges or by (a) person(s) appointed by the Chief Judge, and will be started when a Performer begins flying.

7 Rules specific to the competition

7.1 Composition of Delegations: Each Delegation may be comprised of:

- One (1) Head of Delegation
- One (1) Team Manager

- A maximum of two (2) Solo Freestyle Performers for a WISC or Continental Indoor Skydiving Championship.
 - The number of Performers for an Indoor Skydiving World Cup will be up to the organiser.
- 7.2** Competition schedule: The competition will be organised in accordance with two (2) official training days and a maximum time frame of three (3) consecutive competition days. Time must be reserved before the end of the competition to allow for the completion of the final rounds.

ADDENDA A, B, C, D

- Addendum A: Solo Freestyle Compulsory Sequences
- Addendum B: Basic Body Positions, Orientations, Rotations and Pathways
- Addendum C: Difficulty
- Addendum D: Routine Description Form

ADDENDUM – A

SOLO FREESTYLE COMPULSORY SEQUENCES PERFORMANCE REQUIREMENTS & JUDGEMENT CRITERIA

- The order in which these Compulsory Sequences can be performed is determined by the Performer.
- The Performer must submit the order of the Compulsory Sequences before the start of the competition to the Chief Judge. (see para 5.2.1. and Addendum D)
- Each Performer must ensure that clothing and/or their position in the flight chamber do not hinder the ability for Judges to clearly see the performance requirements being met. (E.g. if Judges cannot see straight arms and/or legs then they may assume that the Performer does not have straight arms and/or legs).
- When specified, toes must be pointed and knees must be straight, otherwise the maximum possible score is 9,0.
- The judging of each sequence begins when the Judges see the Performer beginning the sequence from the described beginning position (after a transition from the previous move with or without a momentary stop).
- The judging of each sequence ends when the Judges see the Performer completes or abandons the performance requirements of that sequence.

FIRST COMPULSORY ROUND (ROUND 2)

SFR-1 360° Barrel Roll Stall

- At the beginning, the Performer is in the head-down orientation, presenting the back of the body to the Judges.
- The Performer descends into a belly-down orientation, facing the Judges.
- A 360° barrel roll, in the Layout position with the knees straight, is performed with the head facing the Judges, without changing heading or wobbling.
- The barrel roll must remain at the same level and centred in the flight chamber.
- The barrel roll can be performed in either direction.
- The Layout position, with the knees straight, must be maintained throughout the entire sequence.
- After the barrel roll, the Performer ascends, returning to the head-down orientation presenting the back of the body to the Judges.

SFR-2 Head-Up 360° Breaker

- At the beginning, the Performer is in the head-up orientation in a Layout position with the knees straight, outfacing on one side of the flight chamber, presenting the side of the body to the Judges.
- The Performer descends and when passing across the bottom of the flight chamber, a 360° barrel roll is performed.
- The 360° barrel roll must be evenly performed such that the Performer is halfway through the roll when halfway across the flight chamber.
- The Performer must maintain the Layout position, with the upper legs inline with the torso, throughout the entire 360° barrel roll without wobbling. (The knees may bend.)
- During the 360° barrel roll, the head may face towards or directly away from the Judges.
- The barrel roll can be performed in either direction.
- At the end, the Performer ascends into the head-up orientation in a Layout position, outfacing on the opposite side of the flight chamber from the beginning, presenting the side of the body to the Judges.

SFR-3 Tucked Double Back Loops

- At the beginning and end, the Performer is in belly-down orientation, facing the Judges.
- Two (2) consecutive back loops in a tucked position must be performed.
- Loops must be around the horizontal axis, without wobbling and without changing heading.
- Loops must be smooth, without stopping.
- The entire sequence must remain at the same level in the flight chamber.

Judging Guidelines:

- When the Performer stops between the loops, the maximum score will be 8,0

- When the Performer opens to a Layout position (tuck not maintained) before the end of the second loop, the maximum score will be 8,0.

SECOND COMPULSORY ROUND (ROUND 5)

SFR-4 Front Layout Full Twist Sequence

- At the beginning and end, the Performer is in a Layout position with the knees straight, head-up orientation, presenting the side of the body to the Judges.
- Three (3) complete 360° Layout front loop rotations, without stopping, must be performed.
- A full twist must be performed within and evenly executed throughout the second loop.
- Looping movement must remain about a horizontal axis, without tilting or changing heading.
- Torso must be straight and legs in line with the torso, without any bend at the waist and knees, throughout the entire sequence.
- Looping motion must be smooth.
- The sequence must end on the same heading as the beginning.

Judging Guideline:

- When the Performer stops between the loops, the maximum score will be 8,0

SFR-5 Manna's Space Lab

- At the beginning and end, the Performer is in head-up orientation, on the same heading, presenting the side of the body to the Judges.
- A full 360° back loop is performed with the horizontal axis at the upper body.
- During the back loop, four (4) steps are performed to create the illusion of walking around the inside of a horizontal tube.
- The four (4) steps must be smoothly performed within and evenly executed throughout the back loop.
- Looping movement must remain about a horizontal axis, without tilting or changing heading.

SFR-6 Thomas Flair into Head-down Split.

- At the beginning, the Performer is in belly-down orientation.
- One and a half (1,5) Thomas Flair rotations must be performed.
- The toes must be pointed throughout the sequence.

Thomas Flair

- For a complete Thomas Flair, the torso must roll through 360° while simultaneously turning through 360° horizontally.
- The torso must be belly-down at the start of the rotation, on its side when 90° of the turn is complete, on its back when 180° of the turn is complete, and on the other side when 270° of the turn is complete.
- Legs must remain straddled apart, with at least 90° between them, with the knees straight.
- The face must remain facing the Judges (Performer looking at the Judges) and maintain the same direction throughout all the rotation.

Half Thomas Flair to Head-down Split

- Without stopping, an additional half Thomas Flair is performed into a head-down split.

ADDENDUM B

BASIC BODY POSITIONS, ORIENTATIONS, ROTATIONS AND PATHWAYS

A. DEFINITION BODY PARTS

A Body consists of the entire Performer and his/her equipment.

A Performer's Body is defined in specified parts, as follows:

- head: the part of the body above the neck.
- shoulder: the upper part of the body between the neck and the upper arm.
- torso: the body, including the shoulder, but excluding arms, legs, head and neck.
- arm: the whole arm from the shoulder, including upper arm, lower arm, wrist and hand (the shoulder is excluded).
- upper arm: the part of the arm between the shoulder and the elbow.
- lower arm: the part of the arm between the elbow and the wrist.
- hand: the part of the arm past the wrist.
- leg: the whole leg from the pelvis, including the upper leg, knee, lower leg and foot.
- upper leg (thigh): the part of the leg between the pelvis and the knee.
- knee: the part of the leg between the upper leg and the lower leg.
- lower leg: the part of the leg between the knee and the ankle.
- foot: the part of the leg past the ankle.
- sole: that part of the foot on which a person stands.

B. BODY POSITION

The body can be in an arch, layout or pike position with the limbs in any of various positions. These define the amount of bend at the waist/hips and the angle of the upper legs (thighs) relative to the torso. Additional body positions define positions of the legs. The arms are left free to control the position. For description purposes on heading, torso means the front of the torso.

B-1. Arch Position

- The torso is arched at the waist/hips, such that the angle between the front of the torso and the thighs is greater than 180° (if viewed from the side).
- If both legs are together with the knees straight, the angle between the front of the torso and both thighs must be greater than 180° (if viewed from the side).
- If the legs are in a creative position, at least one thigh must show an angle greater than 180° from the front of the torso (if viewed from the side).
- The head may be arched back.

B-2. Layout Position

- The torso is straight, with no bend at the waist/hips (if viewed from the side).
- If both legs are together with the knees straight, both legs must in line with the torso (if viewed from the side).
- If the legs are in a creative position, at least one thigh must be in line with the torso (if viewed from the side).

B-3. Pike Position

- The torso is bent forward at the waist/hips, such that the angle between the front of the torso and the thighs is less than 180° (if viewed from the side).
- If the legs are both together and straight at the knees or in a creative position, the angle between the front of the torso and the thighs must be less than 180° (if viewed from the side).
- For a Loose Pike, the angle between the front of the torso and the thighs is between 90° and 180° (if viewed from the side).
- For a Tight Pike, the angle between the front of the torso and the thighs is less than 90° (if viewed from the side).

B-4. Tight Tuck Position

- The torso is bent forward at the waist/hips such that the angle between the front of the torso and the thighs is less than 90° (if viewed from the side).
- The knees are bent, such that the angle between the upper and lower legs is less than 90°. The knees are not necessarily all the way up against the chest.

- The knees may be together or spread apart.
- For a Loose Tuck, the two described angles are between 90° and 180° (if viewed from the side).

B-5. Sit Position

- The torso is vertical in a head-up orientation.
- The angle between the front of the torso and thighs is between 90° and 145° (if viewed from the side).
- The knees are bent such that the angle between the upper and lower legs is between 90° and 145°.
- The lower legs are parallel to the torso.
- The knees may be together or spread apart.

B-6. Stag Position

- One leg is completely straight at the knee.
- The other leg is flexed forward at the hip and the knee is flexed to place the toe at the knee of the straight leg. The knee is flexed at least 90°.
- The knee of the leg placed in the Stag points forward.
- The body can be in an arched, layout or piked position while in a Stag Position.

B-7. Straddle Position

- The legs are split apart, from side to side, with at least a 90° angle between them (if viewed from the front).
- Both knees are straight.
- The body can be arched (Arched Straddle Position), in a layout (Layout Straddle Position) or piked (Piked Straddle Position) with the legs in a Straddle Position.

B-8. Split Position

- The legs are split apart from front and back, with at least a 90° angle between them (if viewed from the side).
- Both knees are straight.

B-9. Tee Position

- The torso may be straight, with no bend at the waist, or arched.
- One leg is extended in front of the torso, with an angle of 90° between the front of the torso and the thigh (if viewed from the side).
- The other thigh is in line with the torso or has an angle greater than 180° from the torso (if viewed from the side).
- Both knees are straight.

B-10. Compass Position

- The torso is in the head-up orientation.
- One leg is in line with the torso.
- For a parallel Compass, the other leg is raised forward, such that the angle between the thigh and torso is 90° or less.
- For a turned-out Compass, the other leg is split to the side with the knee pointed upward, such that the angle between the thigh and torso is 90° or less.
- Both knees are straight.
- The body can be in an arched or layout position with the legs in a Compass.

C. ORIENTATIONS

There are six (6) basic orientations (not including diagonal orientations) which a body can have to the wind (or cable floor). These define which way the torso is oriented.

C-1. Belly-down Orientation

The torso is horizontal, on its front, facing down towards the wind (or the cable floor).

C-2. Back-down Orientation

The torso is horizontal, on its back, facing up, away from the wind (towards the ceiling).

C-3. Sideways Orientation

The torso is horizontal, on its side, with either side facing towards the wind (or cable floor). The chest is facing the tunnel wall.

C-4. Head-up Orientation

The torso is vertical with the head up, directly away from the wind (towards the ceiling).

C-5. Head-down Orientation

The torso is vertical with the head down, pointing directly down into the wind (towards the cable floor).

D. ROTATION AXES

Most moves involve a form of rotational motion of the body. A total of five (5) axes are used to describe the six (6) possible basic rotational motions.

D-1. Wind Axes

There are two inertial axes which stay fixed with respect to the wind (or cable floor).

Vertical Axis

The vertical axis remains parallel to the wind, (pointing from the ceiling to the cable floor). Spins are rotations about the Vertical Axis.

Horizontal Axis

The horizontal axis is any axis perpendicular (90°) to the wind, (pointing to the tunnel wall). It may have any heading (pointing towards any wall).

D-2. Body Axes

There are three (3) body axes which stay fixed with respect to each Performer's body.

Body Head-Tail Axis

The body head-tail axis is oriented lengthwise, pointing from head to tail-bone, normally through the Performer's torso. (In a layout position, the head and feet are in the same line. When the body is bent at the hips, this axis is aligned with the spine and does not include the legs.)

Body Front-Back Axis

The body front-back axis is oriented forwards and backwards, pointing from front to back, normally through the Performer's belly.

Body Left-Right Axis

The body left-right axis is oriented sideways, pointing from left to right, normally through the Performer's hips.

E. BASIC ROTATIONAL ACTIONS

There are six (6) basic rotational actions. Twisting combines rotational actions by adding a rotation about the body head-tail axis during a rotation about the body left-right or front-back axis.

E-1. Flat Turns

Flat turns involve a rotation about the body front-back axis when that axis is aligned with the vertical axis. The Performer's heading is changing. The body can be belly-down or back-down while performing a flat turn.

E-2 Pirouettes

Pirouettes involve a rotation about the body head-tail axis when that axis is aligned with the vertical axis. The Performer's heading is changing. The body can be head-up or head-down while performing a pirouette.

E-3 Barrel Rolls

A barrel roll is a rotation about the body head-tail axis when that axis is aligned with the horizontal axis. A barrel roll may begin and end in a belly-down, back-down or sideways orientation.

E-4 Cartwheels

A cartwheel is a head-over-heels rotation about the body front-back axis when that axis is aligned with the horizontal axis. The body passes through a head-up, sideways and/or head-down orientations during the course of a cartwheel. A cartwheel needs not start nor finish in an exact head-up, sideways or head-down orientation. A cartwheel is considered to be a full cartwheel when the head has travelled 360° around the horizontal axis from the point at which it started. A cartwheel may be performed to the right or left.

E-5. Loops

A loop is a head-over-heels rotation about the body left-right axis when that axis is aligned with the horizontal axis. The body passes through a head-up, belly-down, head-down and/or back-down orientation during the course of the loop. A loop may begin and end in a head-up, belly-down, head-down and/or back-down orientation. A loop needs not start nor finish in an exact head-up, belly-down, head-down and/or back-down orientation. A loop is considered to be a full loop when the head has travelled 360° around the horizontal axis from the point at which is started. There are two (2) kinds of loops. (Loops are referred to by the direction in which the loop is initiated, since in the case of twisting loops, the direction in which the loop completes may be different from the direction at the start.)

Back Loop

A back loop is a loop rotation initiated with the torso rotating backwards.

Front Loop

A front loop is a loop rotation initiated with the torso rotating forwards.

E-6. Side Loops (Loops on the Side)

A loop in the sideways orientation is a rotation about the body left-right axis when that axis is aligned with the vertical axis. For example, a Pinwheel is a true loop on the side.

E-7. Twists

Twisting combines rotational actions by adding a rotation about the body head-tail axis during a rotation about the body left-right or front-back axis, aligned with either the horizontal or vertical axis. There are two (2) basic categories of twists.

Vertical Twists

A vertical twist is a head-over-heels rotation about the horizontal axis (loop or cartwheel) combined with a rotation about the body head-tail axis. A single or full twist is defined to be a 360° rotation about the body head-tail axis over the course of a 360° loop or cartwheel. The amount of twist contained within a loop or cartwheel is the amount of twisting rotation completed after a 360° looping or cartwheeling rotation has been performed, when measured from the point in the loop or cartwheel at which the twist was first initiated. Twists may be initiated at any position in the loop or cartwheel and in any direction.

Horizontal Twists

A horizontal twist is a rotation about the vertical axis (flat turn or side loop) combined with a rotation about the body head-tail axis. A single or full twist is defined to be a 360° rotation about the body head-tail axis over the course of a 360° flat turn or side loop. For example, a Flip Through is a horizontal twist.

F. CIRCULAR PATHWAYS

There are two (2) basic types of circular pathways a Performer may follow, which can be performed either infacing or outfacing. Circular pathways may have embedded moves (e.g. Bottom Loop).

Infacing

The front of the torso faces inward towards the concave side of the pathway, usually, but not always, towards the centre of the flight chamber.

Outfacing

The front of the torso faces outward away from the concave side of the pathway, usually, but not always, towards the wall of the flight chamber.

F-1. Carving

The Performer's body traces a circular path in approximately a horizontal plane. Carving is performed while head-down, head-up or in other orientations.

F-2. Vertical Orbits

The Performer's body traces a circular path in a vertical plane. Eagles and Reverse Eagles are two (2) common forms of Vertical Orbits that involve also rotating about the Body Left-Right Axis.

Eagle

The Performer travels in a Vertical Orbit while continuously leading with the head, passing through the back-down, head-up, belly-down and/or head-down orientation (in that order, if infacing). An Eagle may begin from any orientation in this progression. A Half Eagle is when the Performer has travelled head first through 180° of vertical orbiting. A Full Eagle is when the Performer has travelled head first through 360° of vertical orbiting.

Reverse Eagle

The Performer travels in a Vertical Orbit while continuously leading with the feet (or tail-bone), passing through the back-down, head-down, belly-down and/or head-up orientation (in that order, if infacing). A Reverse Eagle may begin from any orientation in this progression. A Half Reverse Eagle is when the Performer has travelled feet (or tail-bone) first through 180° of vertical orbiting. A Full Reverse Eagle is when the Performer has travelled feet (or Tail-bone) first through 360° of vertical orbiting.

ADDENDUM – C DIFFICULTY

'Difficulty' is the combined result of several factors. Moves are classified from very easy to very difficult. The overall performance of the Flights (poses, moves and transitions) counts for difficulty. In general, difficulty factors are:

Easier	More Difficult
Fixed orientation with large support base	Fixed orientation with small support base
Horizontal axis rotation with small support base	Horizontal axis rotation through large support base
Stable, easy to balance move	Unstable, difficult to balance move
Moves executed individually	Moves executed in a connected sequence
High drag moves flown with slow tunnel speed	High drag moves flown with fast tunnel speed, the longer the duration of high drag move(s), the more difficult
Low drag moves flown with fast tunnel speed	Low drag moves flown with slow tunnel speed, the longer the duration of the low drag move(s), the more difficult
Random Movements	Precisely Choreographed Movements (including perfect synchronicity with music if performing to music)
Body position lost during move(s)	Ideal body position maintained throughout move(s)
Drifting in flight chamber during static move(s)	Remaining stationary in flight chamber on a constant heading and level during static move(s)
Easy natural body positions	Awkward body position and/or grip(s), such as a hand grip on one's own foot with that grip behind
Move does not require flexibility	Move requires flexibility
Move does not require strength and power	Move requires strength and power
Symmetrical body shape held on heading	Asymmetrical body shape held on heading
Asymmetrical body shape not held on heading	
Basic Move(s)	Move(s) that requires long learning progression
Performing previously seen Move(s)	Performing brand new Move(s)
Rotations on one (1) axis	Rotations on more than one (1) axis (in which use of three (3) axes is more difficult than use of two (2) axes)
Performing moves, carving/rotating always in a preferred direction	Performing moves, carving/rotating in both directions
Short duration in rotation (no dizziness)	Long duration in rotation (dizziness)
Performer flying in clean airflow	Performer flying across burble of doorway
Fast transitions through burble of doorway	Performer remaining in burble of doorway for extended time
Transitions between moves with the same axes	Transitions between moves with different axes at a precise heading/orientation
No direction change	Reversal of direction at a precise heading/orientation
Carving/vertical orbits without embedded move(s)	Carving/vertical orbits with embedded move(s)
Complex moves using arms and legs to control flying	Variety of complex moves without using arms or with arms and/or legs in fixed pose or in creative, artistic gestures
Consuming the entire space of the flight chamber, including the diffuser	Deliberate, controlled use of a portion of the available space.
Landing on the cable floor to exit and end routine	Landing exactly in the doorway with a complex move to exit and end routine

Combinations of multiple factors further increase difficulty. Performers are not expected to demonstrate all of the above difficulty factors within one routine. A difficulty factor may sometimes have the opposite effect of making a Move easier, e.g., retracting the arms keeping them fixed to the body may decrease the difficulty of certain moves. Judges are expected to apply additional knowledge and understanding of difficulty.

ADDENDUM - D SOLO FREESTYLE ROUTINE DESCRIPTION

Instructions for use:

Word file (recommended):

- Download the Addendum – D as word.doc on a PC and save it, preferably under your country name and competitor number.
- Fill in the required data. If a selection has to be made delete the data which you don't need and leave the needed ones.
- Add rows in the Free Routine description if needed.
- When done, save it again under a name relating to yourself.
- Print the document and deliver it to the Chief Judge.

PDF file:

- Print the page of the Addendum – D.
- Fill in the required data with pen (black or blue only). If you need to select, circle the appropriate event / round.
- Print the last page with boxes only if you need more rows in the Free Routine description.
- When done, deliver it to the Chief Judge.
- ***Do not write out of the boxes, or in the sidelines or edges of the paper.***

Performer #	Performer Name & Country:		
State the order in which the Compulsory Sequences will be performed.			
First Compulsory Round, round 2:			
Second Compulsory Round, round 5:			
The Free Routine description covers the following rounds		ALL - 1 - 3 - 4 - 6 - 7	

#	Name of move / sequence	Difficulty Value
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		